



XRT900

[Close print view](#)

[OVERVIEW](#) [FEATURES](#) [OPTIONS](#) [SPECS](#) [DOWNLOADS](#) [IMAGES](#) [VIDEOS](#)

The ideal combination of power and performance, the XRT900 is designed with maximum usability in mind. Equipped with an extra large seven gallon fuel tank and the largest bed box in its class, you'll get everywhere you need to go with all your gear intact.



Click on the product to view its features.

- XRT900 Gas

- Rustproof Aircraft Grade Aluminum Frame
- Headlights
- Differential Guard
- Heavy Duty Front Bumper
- Upgraded 4-wheel, Mechanical Drum Brakes
- 351 cc gasoline 11.5 hp engine
- Electronic fuel gauge/hour meter, low-oil warning light
- Self-adjusting, maintenance-free rack and pinion steering for easy handling
- Computer-balanced CVT clutch to eliminate vibration
- Powder-coated tilt bed box with rustproof aluminum floor (500 lb load-carrying capacity)
- 22" all-terrain tires standard; 22" turf tires available

- XRT 900, 48V Elec, Iq Plus

- Rustproof Aircraft Grade Aluminum Frame
- Club Car's exclusive IQ Plus System™ 48-volt electric motor
- Headlights
- Differential Guard
- Heavy Duty Front Bumper
- Upgraded 4-wheel, Mechanical Drum Brakes
- Self-adjusting, maintenance-free rack and pinion steering for easy handling
- Computer-balanced CVT clutch to eliminate vibration
- Powder-coated tilt bed box with rustproof aluminum floor (500 lb load-carrying capacity)
- 22" all-terrain tires standard; 22" turf tires available

Click on the product to view its options.

+ XRT 900, 48V Elec, Iq Plus

Category	Accessories
Weather Protection	3 Sided Enclosure -Gray (canopy required)
	900 Cab Adapter
	Black Canopy
	Cab Assembly
	ROPS Seat Belt Kit
	Ultimate Enclosure- beige vinyl
	Ultimate Enclosure- arav vinyl

	Ultimate Enclosure- white vinyl
	3 Sided Enclosure -White (canopy required)
	Hinged Windshield Kit
	Hinged Winged Windshield
	Solid Winged Winshield
	One-Piece Tinted Windshield
Exterior	2" Front Receiver Hitch
	Bed Liner
	Brush Guard
	Heavy Duty front bumper kit
	Nerf Bars
	Toolbox- flat bed
	Toolbox-Front
	Bed Mat
	Toolbox-cargo bed
	Outside Mirrors, Set of 2
	Stake-Side Kit
	Green
	Red
	Realtree™ Camo
Interior	Billet Shifter Knob - Club Car
	Billet Shifter Knob - Plain
	Radio/Beverage Holder
	5-Panel Mirror
	5" Convex Mirror - Black
	Accessory Plug
Lighting & Electronics	Deluxe Lights
	Standard Lights
	Work Lights, Set of 2
	Rear Facing Flood
	Deluxe Overhead Stereo Console
	Light Bar
Sound	Mini Weatherproof Stereo Kit
Performance	Winch - 1,500 lb
Camo & Hunting	Bed Cover- Realtree Hardwoods
	Camo enclosure - Mossy Oak Forest Floor Std Canopy
	Kolpin Gun Boot
	Brush Guard/Rack
	Rugged Gear Gun Rack
	Bed Cover - Mossy Oak Forest Floor
Implements & Attachments	1 7/8" Ball Mount Kit

Attachments

- 1 7/8" Chrome Hitch Ball
- 12" Receiver Extension
- 2" Ball Mount Kit
- 2" Chrom Hitch Ball
- 2" Drop Ball Mount
- 5/8" Bone Locking Hitch Pin
- 5/8" Hairpin Zinc Hitch Pin
- Bed Rails for XRT Bed
- Foldable Game/Utility Cart
- Hand Tool Holder
- Improved 40 gallon Ag Sprayer
- String Trimmer Racks
- Tri-Ball Hitch - Chrome
- Trailmower 44-Inch Finish Cut
- Trailcutter 44-Inch Rough Cut
- Trailmower 60-Inch Finish Cut
- Universal Dump Cart
- Log Splitter
- Plow mount
- Plow Switch Plate
- 62" Swisher Plow
- Tri-Ball Hitch - Pintle
- 54-Inch Plow Blade

Vehicle Maintenance & Tools

- Battery Terminal protectant
- Dry Moly lubricant
- Finish Restore
- Kawasaki V-Twin tune up kit
- Re-Black detailer
- Wax All
- Windshield cleaner and protectant

Tires & Wheels

- 10" A/T wheel cover - chrome
- 10" A/T wheel cover - dark chrome
- V-Bar tire chains- 22" & 23" tires
- Turf Tire
- All-terrain tire

+ XRT900 Gas

Category	Accessories
Weather Protection	<ul style="list-style-type: none"> 3 Sided Enclosure -Gray (canopy required) 900 Cab Adapter Black Canopy Cab Assembly ROPS Seat Belt Kit

	Ultimate Enclosure- beige vinyl
	Ultimate Enclosure- gray vinyl
	Ultimate Enclosure- white vinyl
	3 Sided Enclosure -White (canopy required)
	Hinged Windshield Kit
	Hinged Winged Windshield
	Solid Winged Winshield
	One-Piece Tinted Windshield
Exterior	2" Front Receiver Hitch
	Bed Liner
	Brush Guard
	Heavy Duty front bumper kit
	Nerf Bars
	Toolbox- flat bed
	Toolbox-Front
	Bed Mat
	Toolbox-cargo bed
	Outside Mirrors, Set of 2
	Stake-Side Kit
	Green
	Red
	Realtree™ Camo
Interior	Billet Shifter Knob - Club Car
	Billet Shifter Knob - Plain
	Radio/Beverage Holder
	5-Panel Mirror
	5" Convex Mirror - Black
	Accessory Plug
Lighting & Electronics	Deluxe Lights
	Standard Lights
	Work Lights, Set of 2
	Rear Facing Flood
	Deluxe Overhead Stereo Console
	Light Bar
Sound	Mini Weatherproof Stereo Kit
Performance	Winch - 1,500 lb
Camo & Hunting	Bed Cover- Realtree Hardwoods
	Camo enclosure - Mossy Oak Forest Floor Std Canopy
	Kolpin Gun Boot
	Brush Guard/Rack
	Rugged Gear Gun Rack
	Bed Cover - Mossy Oak Forest

Bed Cover - Muddy Oak Forest Floor

- Implements & Attachments
 - 1 7/8" Ball Mount Kit
 - 1 7/8" Chrome Hitch Ball
 - 12" Receiver Extension
 - 2" Ball Mount Kit
 - 2" Chrom Hitch Ball
 - 2" Drop Ball Mount
 - 5/8" Bone Locking Hitch Pin
 - 5/8" Hairpin Zinc Hitch Pin
 - Bed Rails for XRT Bed
 - Foldable Game/Utility Cart
 - Hand Tool Holder
 - Improved 40 gallon Ag Sprayer
 - String Trimmer Racks
 - Tri-Ball Hitch - Chrome
 - Trailmower 44-Inch Finish Cut
 - Trailcutter 44-Inch Rough Cut
 - Trailmower 60-Inch Finish Cut
 - Universal Dump Cart
 - Log Splitter
 - Plow mount
 - Plow Switch Plate
 - 62" Swisher Plow
 - Tri-Ball Hitch - Pintle
 - 54-Inch Plow Blade

- Vehicle Maintenance & Tools
 - Battery Terminal protectant
 - Dry Moly lubricant
 - Finish Restore
 - Kawasaki V-Twin tune up kit
 - Re-Black detailer
 - Wax All
 - Windshield cleaner and protectant

- Tires & Wheels
 - 10" A/T wheel cover - chrome
 - 10" A/T wheel cover - dark chrome
 - V-Bar tire chains- 22" & 23" tires
 - Turf Tire
 - All-terrain tire

specs	XRT900 Gas	XRT 900, 48V Elec, Iq Plus
Power Source	Gas	Electric
Engine	Kawasaki, 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter	
Drive Motor		48-volt shunt/sepex
Horsepower	11.5 hp @ 3,400 rpm, exceeds SAE	2.7 hp @ 3,400 rpm (continuous) 21

XRT900 - Club Car Utility Vehicles

Horsepower	11.5 hp @ 3,000 rpm, exceeds SAE J1940 Performance Standards	3.7 hp @ 3,400 rpm (continuous) 21 hp @ 2,000 rpm (peak)
Governor	Automatic ground speed sensing, internally geared-in unitized transaxle	Automatic ground speed sensing
Governed RPM	2900 +/- 30	
Ignition	Electronic with electronic limiter	
Drive Unit	Unitized transaxle, helical gears: 11.8:1 forward, 17.1:1 reverse	12:3:1 direct drive axle, double reduction helical gears
Electrical System	12-volt, 500 cca 105 min reserve	48-volt
Batteries		Eight 6-volt, Standard: T105 = 115 min @ 75 amps; Heavy Duty: T145 = 145 min @ 75 amps
Charger		Automatic, computer-controlled 48-volt DC, 17 amp, UL and CUL listed
Controller		500 amp solid state
Steering	Self-adjusting rack and pinion	Self-adjusting rack and pinion
Front Suspension	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks
Rear Suspension	Leaf springs with dual hydraulic shocks	Leaf springs with dual hydraulic shocks
Brakes	4-wheel mechanical drum	4-wheel mechanical drum
Park Brake	Foot-operated, multi-lock	
Stabilizer Bar	Yes	No
Frame Chassis	Rust-proof non-corrosive, aircraft grade 6061 aluminum frame	Aluminum I-beam
Body color	Matching paint over molded in color	Matching paint over molded in color
Front Body	ArmorFlex®	ArmorFlex®
Rear Body	All aluminum	All aluminum
Light Package	Dual halogen headlights	
Trailer Hitch	Standard	
Front Tires	22 x 11-10, 6 ply rated, heavy-duty all-terrain tread	22 x 11.00-10, 6-ply rated, Heavy-duty All-Terrain tread
Rear Tires	22 x 11-10, 6 ply rated, heavy-duty all-terrain tread	22 x 11.00-10, 6-ply rated, Heavy-duty All-Terrain tread
Instrumentation	Electronic fuel gauge/hour meter, low-oil warning light	
Cargo Bed Size	48.8 in x 49.8 in x 10.9 in (123.8 cm x 126.4 cm x 27.6 cm)	48.8 in x 49.8 in x 10.9 in (15.3 ft3) 123.8 cm x 126.4 cm x 27.6 cm
Flat Bed Size	46.9 in x 48.3 in (119.1 cm x 122.7 cm)	46.9 in x 48.3 in (119.1 cm x 122.7 cm)
Bed Height	27.5 in (69.9 cm)	29.8 in (75.6 cm)
Bed Capacity	500 lb (227.3 kg)	500 lb (226.8 kg)
Total Vehicle Capacity	900 lb (408.2 kg)	900 lb (408.2 kg)
Seating Capacity	2	2
Overall Length	120.4 in (305.8 cm)	120.4 in (305.8 cm)
Overall Width	51.3 in (130.2 cm)	51.3 in (130.2 cm)
Overall Height	51.1 in (129.8 cm)	51.1 in (129.8 cm)
Wheelbase	78.5 in (199.4 cm)	78.5 in (199.4 cm)
Ground Clearance	6.4 in (16.3 cm)	6.4 in (16.3 cm)
Fuel Tank Capacity	7 gal (26.5 L)	
Tread	36.5 in/41.3 in (92.7 cm/104.8 cm)	36.5 in/41.3 in (92.7 cm/104.8 cm)
Dry Weight (Less Batteries)	910 lb (412.8 kg)	842 lb (381.9 kg)
Outside Radius Circle	21.7 ft (6.6 m) dia	21.7 ft (6.6 m) dia
Maximum Speed	15-17 mph (24.1-27.4 kph)	
Turning Radius	10.8 ft (3.3 m)	10.8 ft (3.3 m)
Interaxle	77 in (195.6 cm)	77 in (195.6 cm)

intersecting
Aisle Radius

77 in (195.0 cm)

77 in (195.0 cm)

Vehicle
Warranty

2-year/2,000 hour limited

Return to Utility 4x2 listing

[our company](#) | [contact us](#) | [safety info](#) | [club car pavilion](#) | [privacy/legal](#) | [site map](#)

© Copyright 2009. All images owned exclusively by Club Car, LLC; such images (and all other information displayed herein) may not be copied or used by others. All rights reserved.

Explore the Ingersoll Rand family of brands ▶



testss